General Environmental Incident Summary

Incident: 5247 Date/Time Notice: 10/4/2016 1705 DEM Incident No:

Responsible Party: CHS Inc.

County: Barnes Twp: 139 Rng: 57 Sec: 27 Qtr:

Lat: 46.82156 Long: -97.86309 Method: Interpolation from map

Location Description: CHS Dakota Plains Ag NH3 facility located in Cuba, ND

Address: 123 Ave. SW, Valley City, ND 58072

Submitted By: Gary Perowitz **Affiliation:** CHS Inc.

Address: 11 West 5th St

PO Box 246

City: Morris State: MN Zip: 56267

Received By:

Contact Person: Casey Wieck

151 9th Ave NW Valley City, ND 58072

Distance Nearest Occupied Building: 400 Feet Release Contained: No

Type of Incident: Tank Leak

Description of Released Contaminant: Anhydrous Ammonia

Volume Spilled: 650.00 pounds Ag Related: No EPA Extremely Hazardous Substance: Unknown Reported to NRC: Yes

Cause of Incident:

Leak was reported to CHS by RR. Leak was from the % gauge on nurse tank #CF4. Release is believed to be a result of tank tampering. Incident will be reported to law enforcement.

Risk Evaluation:

none known

of Fatalities: 0 # of Injuries: 0 Affected Medium: 01 - air

Potential Environmental Impacts:

none known

Action Taken or Planned:

Bolts were tightened on % gauge resulting in termination of the release. The release was to atmosphere. No cleanup actions taken. No evacuations or exposures. Release reported to NRC (#1160751). Incident will be reported to law enforcement. Incident was reported to ND State Radio (1610040017)

Wastes Disposal Location: None needed

Agencies Involved: Local Law Enforcement, NRC

Updates

Date: 10/4/2016 Status: Reviewed - Assigned to NDDoH Division Author: O'Gorman, Brian

Updated Volume:

Notes:

According to the report, 650 pounds of anhydrous ammonia were released to the atmosphere near Valley City, N.D. Incident assigned to Division of Air Quality.